



# U.R

Specification Guide

# U.R

Flexible, versatile and environmentally-friendly...  
U.R is the smarter choice.

An environmentally considered table system, U.R draws on Life Cycle Assessments (LCA) to determine the most appropriate materials, and Finite Element Analysis (FEA) to ensure the strongest structure while eliminating waste. Skilfully designed for 100% disassembly, U.R is all ready for recycling.





A detailed line drawing of a mechanical assembly, possibly a medical device or a specialized workbench. The drawing shows a complex arrangement of metal plates, rods, and joints. A large, bold, sans-serif text 'U.R' is overlaid in the center of the image. The background is a light gray grid.

U.R

# Table Finishes

## 1. Frame Finishes

Standard U.R frame finishes include black or chrome legs with a polished foot. U.R is also available in our current season powdercoat colours listed, with custom colour optional.



Colours are representative only, please check with your Thinking Works consultant to view samples of any specific colour.

# Tables

## Rectangle

### Materials Information

#### Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome (standard)
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel

#### Foot Finish

Aluminium Foot




- a. Polished (standard)
- b. Powdercoat (to match column)

#### Frame Finish


Polished Aluminium Top Horn  
Steel Black Powdercoat Rails

* Maximum Custom Height	1000mm
Maximum inc. worktop	130kg
Maximum Point Load	50kg
Seats	6-18

### CN-1040



### CN-1041



# Tables Features

## Materials Information

### Frame Finish

Steel Slingshot

- a. Powdercoat (to match frame)

Steel Power/Data Beam

- a. Black Powdercoat

### Powerbox Slingshot

Suitable for CN-1040 and CN-1041 table frames

Replaces U.R leg column to provide placement of powerboxes without frame interference

Made to order to cater for specified powerbox requirements and size

Provides 75mm clearance around powerbox to ensure fitment without frame interference

### Power/Data Beam

Suitable for CN-1000, CN-1001 and CN-1002 frames

Suitable for CN-1010, CN-1011 and CN-1012 frames



Replaces central rail to provide placement of powerboxes without frame interference

Made to order to cater for specified powerbox requirements and size

Provides 50mm clearance around powerbox to ensure fitment without frame interference



## Powerbox Management

## Slingshot



## Powerbox Management

## Power/Data Beam





### **Specification**

Due to our policy of continuous product development, specifications and finishes may change without prior notice.

### **Sustainability Policy**

We realise the importance of responsible business practices and have in place numerous product and company sustainability certifications. We would encourage you to download our annual Sustainability Report from the Thinking Works website to get a full overview of our sustainability program.

Thinking Works  
© Copyright 2020  
All right reserved